

Table of Contents

UCH Wiki Syntax - Navs (Tabs & Pills) 3

Tabs with DropDown menu 3

Pills with DropDown menu 3

Pills stacked 4

Pills justified 4

Tabs justified 4

With Icons Plugin 5

Tab Pane 5

Tab Pane and Include Plugin 6

Attributes 7

UCH Wiki Syntax - Navs (Tabs & Pills)

Tabs with DropDown menu

```
<nav type="tabs">
* [[:start]]
* [[:wiki:plugin:bootswrapper:nav|Nav Plugin]]
* [[playground:playground]]
* DokuWiki
* [[:wiki:welcome]]
* [[:wiki:syntax]]
</nav>
```

* [start](#) * [Nav Plugin](#) * [playground](#) * [DokuWiki](#) * [welcome](#) * [syntax](#)

Instead of `<nav type="tabs">` you can use `<tabs>` alias.

Pills with DropDown menu

```
<nav type="pills">
* [[:start]]
* [[:wiki:plugin:bootswrapper:nav|Nav Plugin]]
* [[playground:playground]]
* DokuWiki
* [[:wiki:welcome]]
* [[:wiki:syntax]]
</nav>
```

* [start](#) * [Nav Plugin](#) * [playground](#) * [DokuWiki](#) * [welcome](#) * [syntax](#)

Instead of `<nav type="pills">` you can use `<pills>` alias.

Pills stacked

```
<nav type="pills" stacked="true">
* [[:start]]
* [[:wiki:plugin:bootswrapper:nav|Nav Plugin]]
* [[playground:playground]]
* DokuWiki
* [[:wiki:welcome]]
* [[:wiki:syntax]]
</nav>
```

* [start](#) * [Nav Plugin](#) * [playground](#) * [DokuWiki](#) * [welcome](#) * [syntax](#)

Pills justified

```
<nav type="pills" justified="true">
* [[:start]]
* [[:wiki:plugin:bootswrapper:nav|Nav Plugin]]
* [[playground:playground]]
* DokuWiki
* [[:wiki:welcome]]
* [[:wiki:syntax]]
</nav>
```

* [start](#) * [Nav Plugin](#) * [playground](#) * [DokuWiki](#) * [welcome](#) * [syntax](#)

Tabs justified

```
<nav type="tabs" justified="true">
* [[:start]]
* [[:wiki:plugin:bootswrapper:nav|Nav Plugin]]
* [[playground:playground]]
* DokuWiki
* [[:wiki:welcome]]
* [[:wiki:syntax]]
</nav>
```

* [start](#) * [Nav Plugin](#) * [playground](#) * [DokuWiki](#) * [welcome](#) * [syntax](#)

With Icons Plugin

* home DokuWiki * [welcome](#) * [syntax](#)

```
<tabs>
* {{fa>home}} DokuWiki
* [[wiki:welcome]]
* [[wiki:syntax]]
</tabs>
```

* File * file-o [New](#) * folder-open [Open](#) * print [Print](#) * close [Close](#) * ? * info [About...](#)

```
<tabs>
* File
* {{fa>file-o?fw}} [[#new|New]]
* {{fa>folder-open?fw}} [[#open|Open]]
* {{fa>print?fw}} [[#print|Print]]
* {{fa>close?fw}} [[#close|Close]]
* ?
* {{fa>info?fw}} [[#about|About...]]
</tabs>
```

Tab Pane

```
<tabs>
* [[#tab-foo|Foo]]
* [[#tab-bar|Bar]]

<pane id="tab-foo">
=== Foo ===
Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed eiusmod tempor
incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis
nostrud exercitation ullamco laboris nisi ut aliquid ex ea commodi
consequat. Quis aute iure reprehenderit in voluptate velit esse cillum
dolore eu fugiat nulla pariatur. Excepteur sint obcaecat cupiditat non
proident, sunt in culpa qui officia deserunt mollit anim id est laborum.
</pane>

<pane id="tab-bar">
=== Bar ===
Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed eiusmod tempor
incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis
nostrud exercitation ullamco laboris nisi ut aliquid ex ea commodi
```

```
consequat. Quis aute iure reprehenderit in voluptate velit esse cillum
dolore eu fugiat nulla pariatur. Excepteur sint obcaecat cupiditat non
proident, sunt in culpa qui officia deserunt mollit anim id est laborum.
</pane>

</tabs>
```

* [Foo](#) * [Bar](#)

Foo

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquid ex ea commodo consequat. Quis aute iure reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint obcaecat cupiditat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Bar

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquid ex ea commodo consequat. Quis aute iure reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint obcaecat cupiditat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

Tab Pane and Include Plugin

Use Include Plugin with `inline` flag to prevent unexpected behavior.

```
<pane id="tab-bar">
{{page>:wiki:syntax#Tables&inline}}
</pane>
```

Include plugin Documentation

[...] Don't close/open sections when including a page. This flag should be used when the include syntax is used inside other syntax elements like lists or tables or inside other plugin syntax. [...]
(see [plugin:include](#))

Note for TOC

I suggest to add `~~NOTOC~~` because the TOC is displayed between the tab bar and the content.

Attributes

Attribute	Default Value	Allowed Values	Description
type	pills	tabs, pills	Type of nav
stacked	optional	true	Stacked nav items
justified	optional	true	Justify nav items
fade	optional	true	Enable fade effect on tabs

Taken from [UCH Wiki](#).

From:

<https://wiki.ulascemh.com/> - UCH

Permanent link:

<https://wiki.ulascemh.com/doku.php?id=syntax:nav&rev=1775998719>

Last update: **2026/04/12 12:58**

