

# Table of Contents

- UCH Wiki Syntax - Popovers** ..... 3
- Examples** ..... 3
- Four directions ..... 3
- Dismiss on next click ..... 3
- DokuWiki syntax ..... 4
- Options** ..... 4



# UCH Wiki Syntax - Popovers

Add small overlays of content, like those on the iPad, to any element for housing secondary information.

Popovers whose both title and content are zero-length are never displayed.

## Examples

Click to toggle popover

```
<popover title="Popover title" content="And here's some amazing content. It's very engaging. Right?"><btn type="danger" size="lg">Click to toggle popover</btn></popover>
```

## Four directions

Four options are available: top, right, bottom, and left aligned.

Popover on right Popover on top Popover on bottom Popover on left

```
<popover placement="right" content="Vivamus sagittis lacus vel augue laoreet rutrum faucibus."><btn>Popover on right</btn></popover>
```

```
<popover placement="top" content="Vivamus sagittis lacus vel augue laoreet rutrum faucibus."><btn>Popover on top</btn></popover>
```

```
<popover placement="bottom" content="Vivamus sagittis lacus vel augue laoreet rutrum faucibus."><btn>Popover on bottom</btn></popover>
```

```
<popover placement="left" content="Vivamus sagittis lacus vel augue laoreet rutrum faucibus."><btn>Popover on left</btn></popover>
```

## Dismiss on next click

Use the focus trigger to dismiss popovers on the next click that the user makes.

Dismissible popover

```
<popover trigger="focus" title="Dismissible popover" content="And here's
some amazing content. It's very engaging. Right?"><btn type="danger"
size="lg">Dismissible popover</btn></popover>
```

## DokuWiki syntax

Dismissible Popover

```
<popover html="true" title="**Dismissible** popover" content="And here's
some amazing content. \\ **It's very engaging**. \\ Right?">Dismissible
Popover</popover>
```

## Options

Name	Default	Values	Description
animation	true	true false	Apply a CSS fade transition to the popover
content	NULL		The content value
title	NULL		The title value
html	false	true false	Insert DokuWiki syntax into the popover
placement	right	top bottom left right auto	How to position the popover. When auto is specified, it will dynamically reorient the popover. For example, if placement is auto left, the popover will display to the left when possible, otherwise it will display right.
trigger	click	click hover focus manual	How popover is triggered. You may pass multiple triggers; separate them with a space. manual cannot be combined with any other trigger.
delay delay-show delay-hide	0		Delay showing and hiding the popover (ms) - does not apply to manual trigger type If a number is supplied, delay is applied to both hide/show.

Taken from [UCH Wiki](#).

From:  
<https://wiki.ulascemh.com/> - **UCH**

Permanent link:  
<https://wiki.ulascemh.com/doku.php?id=syntax:popover>

Last update: **2026/04/12 13:12**

